

NEO-FERMIT UNIVERSAL

For metallic thread connections with hemp,
according to DIN EN 751-2 approved for house installation of gas and drinking water pipes by the DVGW.

Article No.	PU	Delivery form
27400040	100 pcs.	90 g tube
27400050	15 pcs.	150 g tube
27400058	15 pcs.	325 g tube
27400059	24 pcs.	450 g can
27400065	18 pcs.	800 g can



PLASTIC-FERMIT white

Duroplastic, kneadable sealing compound, plastic-based
Sealing cement for installation of sanitary facilities

Article No.	PU	Delivery form
27450055	24 pcs.	0.250 kg jar
27450060	30 pcs.	0.500 kg jar
27450070	18 pcs.	1.000 kg jar



Fireproof boiler sealant

“FROSCHMARKE”

Is guaranteed to be fireproof against open fires and temperatures above 1,000 °C, e.g. for sealing against fumes, for use with boiler systems, stoves and ovens.

Article No.	PU	Delivery form
27460055	24 pcs.	0.250 kg jar
27460060	30 pcs.	0.500 kg jar
27460070	18 pcs.	1.000 kg jar



FERMITEX

Chemical pipe cleaning agent

Simply, rapidly and reliably clears blockages, eliminates bad smells and hazardous bacteria in drains, also thaws frozen pipes.

Article No.	PU	Delivery form
27450470	12 pcs.	1.000 kg jar



FERMIT Special

Thread sealing paste for use with hemp,
for use with heating-, water- and compressed air systems.
Must not be used for gas- and drinking water facilities for house installation.

Article No.	PU	Delivery form
27410060	24 pcs.	0.650 kg jar



FERMITAC adhesive

Universal contact adhesive for rigid PVC,
various plastics, wood and felt

Article No.	PU	Delivery form
27440058	50 pcs.	125 ml jar with brush
27440059	45 pcs.	250 ml jar with brush



FERMITAC rigid PVC cleaning agent

Cleaning agent for pipes, sleeves and fittings of rigid PVC

Article No.	PU	Delivery form
27440251	18 pcs.	125 ml can

FERMITOL liquid

Liquid synthetic resin sealing agent

Resistant against oil

Article No.	PU	Delivery form
27430050	32 pcs.	0.125 kg jar
27430055	18 pcs.	0.250 kg jar
27430060	10 pcs.	0.500 kg jar
27430070	1 pce.	1.000 kg jar



Zickzag mounting strips

Flexible mounting strip for every piece of sanitary ware

In a dispenser box, self-adhesive on one side, format 36 x 3 mm

Article No.	PU	Delivery form
27900051	25 pcs.	9 m / role



Tub sound absorption strip

Bath tub rebate profile with tear seam

PE strips, self-adhesive on one side, white, 50 x 4 format

Article No.	PU	Delivery form
27900053	25 pcs.	Length 3.30 m



Sound insulation floor tile for stand-alone WC RG 100

Closed-cell PE foam

Without accessories

Article No.	PU	Delivery form
27900050	25 pcs.	Boxes of 25 pieces



Noise-insulation-set for wall-WC and bidet

With test certificate

Thickness 4 mm

Article No.	PU	Delivery form
27900025	15 pcs.	Boxes of 15 pieces



Noise-insulation-set for urinals

550 RG 70/5 to 630 mm

Closed-cell PE foam, with test certificate, including mounting material

Article No.	PU	Delivery form
27900040	25 pcs.	Boxes of 25 pieces



Noise-insulation-set for wash basins

550 RG 70/5

Closed-cell PE foam, with test certificate, including mounting material

Article No.	PU	Delivery form
27900030	25 pcs.	Boxes of 25 pieces



Noise-insulation-set for wash stand

750 RG 70/5

Closed-cell PE foam, with test certificate, including mounting material

Article No.	PU	Delivery form
27900031	25 pcs.	Boxes of 25 pieces




Noise-insulation-set for double wash stand

840 RG 70/5

Closed-cell PE foam, with test certificate, including mounting material

Article No.	PU	Delivery form
27900032	25 pcs.	Boxes of 25 pieces



FELDER lubricant for connecting sleeves

Lubricant for all connectable pipes

- Excellent lubricant properties
- Does not leak
- Acid-free and solvent-free
- Not skin-irritating
- Biodegradable
- Lightly perfumed

Article No.	PU	Delivery form
27180155	30 pcs.	250 g dosage bottle
27180160	20 pcs.	500 g dosage bottle



FELDER lubricant

For mounting of plastic joints with connecting sleeve and rubber band

Article No.	PU	Delivery form
27180350	50 pcs.	150 g tube
27180355	50 pcs.	250 g tube
27180360	24 pcs.	500 g tube
27180371	1 pce.	1.000 kg jar
27180373	1 pce.	5.000 kg bucket



If desired, we can also deliver the lubricant with DVGW approval. This is only necessary however if it is used for drinking water pipe lines.

Leak detection spray

With DVGW mark of conformity

Leak tightness testing agent

Article No.	PU	Delivery form
27150000	12 pcs.	400 ml spray can
27150075	1 pce.	5 l canister
27150100	1 pce.	10 l canister
27150105	1 pce.	0.5 l pump dispenser, empty
27150106	1 pce.	0.5 l pump dispenser with contents



Leak detection spray

Frost-proof to -15 °C

Article No.	PU	Delivery form
27151000	12 pcs.	400 ml spray can

Burner cleaning spray

Cleaning and degreasing spray

For all strongly soiled burner components

Article No.	PU	Delivery form
27680061	12 pcs.	500 ml spray can



Universal boiler foam cleaner

Special cleaning agent for gas- and oil-operated boiler systems
(E.g. maintenance of gas heating and hot water systems)

Article No.	PU	Delivery form
27660061	12 pcs.	500 ml spray can



Cutting oil spray

With DVGW mark of conformity
Food safe, active substance combination contains no aggressive additives, anticorrosive

Article No.	PU	Delivery form
27230000	12 pcs.	400 ml spray can



Rust remover spray, acid-free

Protects against corrosion
Moisture-displacing

Article No.	PU	Delivery form
27220000	12 pcs.	400 ml spray can



Skeleton gun

Open hexagonal skeleton gun

Industrial and tradesman quality for 310 ml cartridges

Article No.	PU	Delivery form
27630201	24 pcs.	Loose in box



FELDER SANITARY SILICONE Universal

Acetic-crosslinking, DIN 18545 E

Permanently elastic caulking compound, anti-fungal and anti-bacterial, standard colours: transparent, white, manhattan further sanitary colours on request

Article No.	PU	Delivery form
27600060	20 pcs.	310 ml cartridge



High-temperature silicone

Permanent temperature resistance to 183 °C

For a short time to 300 °C, colour: red

Article No.	PU	Delivery form
27610060	20 pcs.	310 ml cartridge



Silicone "Neutral"

Neutral cross-linking

And odourless, DIN EN 18545,
for window and glazing construction
standard colours: transparent and white

Article No.	PU	Delivery form
27620060	20 pcs.	310 ml cartridge



ACRYLIC

Caulking compound

Acrylic dispersion-based, for connection joints indoors,
standard colours: transparent, grey, white

Article No.	PU	Delivery form
27630160	20 pcs.	310 ml cartridge



Glättfix

Plastic hand scraper

For smoothing all types of sealing compounds

Article No.	PU	Delivery form
27630202	1 pce.	Loose in box



Separating spray

Separating agent for inert gas shielded arc welding and electrode welding, prevents welding tips from sticking to the torch tips and workpieces

400 ml spray cans

Article No.	PU	Description
27170000	12 pcs.	Silicone spray Separating spray containing silicon
27172000	12 pcs.	Separating spray, silicon-free Silicon-free separating agent



Metal spray paints

Builds a fast-drying and permanently adherent anti-corrosion coating on all metallic surfaces, wood, ceramic, glass, etc.

400 ml spray cans

Article No.	PU	Description
27210000	12 pcs.	Zinc spray Protective coating of micro-fine zinc dust
27211000	12 pcs.	Aluminium spray Ideal for repair work (e.g. soldering joints and welds)
27215000	12 pcs.	Zinc/aluminium mix spray Protective coating of micro-fine zinc dust
27212000	12 pcs.	Stainless steel spray Heat-resistant for a short period up to 300 °C
27213000	12 pcs.	Copper spray Ideal for repair work (e.g. soldering joints and welds)
27214000	12 pcs.	Brass spray Ideal for repair work (e.g. soldering joints and welds)

